

DISCOVER 135


auteco®


BAJAJ

Modelo: Discover 135
(KS) **SPORT**: Motor N°. JNGBPK01232-
Chasis N°. MD2JNB2Z08VK00009-
(ES) **SUPREME**: Motor N°. JNGBPG75340-
Chasis N°. MD2JNB1Z08VG00253-



www.auteco.com.co/repuestosauteco

CATÁLOGO DE PARTES

INTRODUCCIÓN

Esta publicación contiene las referencias para el modelo Discover 135 en sus versiones **(KS) *SPORT*** y **(ES) *SUPREME***.

La versión (KS) **SPORT** corresponde a los vehículos ensamblados a partir del **Nº de motor JNGBPK01232 y chasis Nº MD2JNB2Z08VK00009**

La versión (ES) **SUPREME** corresponde a los vehículos ensamblados a partir del **Nº de motor JNGBPG75340 y chasis Nº MD2JNB1Z08VG00253**

En el interior del catálogo en la columna "CANT./VEH." están detalladas las cantidades por referencia para cada versión.

Recuerde hacer los cambios de aceite de motor **(1.000 cc de Shell Advance 20W50 API SJ + JASO MA)** según la TABLA DE MANTENIMIENTO PERIÓDICO (Máximo cada 2.000 Kms. de recorrido).

No lave la moto con agua a presión, ni con vapor, ni con el motor caliente. Estos procedimientos pueden ocasionar daños en sus componentes eléctricos.

PREFACIO

Es nuestro placer presentarles a ustedes el Catálogo de Partes.

Este Catálogo ha sido especialmente diseñado para ayudarle en la selección de las partes correctas con el fin de mantener el vehículo en las mejores condiciones.

Los repuestos originales están sujetos a un exigente estándar de control de calidad, por lo tanto es necesario que usted sólo use repuestos originales.

En nuestro constante esfuerzo para mejorar la eficiencia y desempeño de su vehículo, las especificaciones, diagramas y número de partes pueden cambiar sin previo aviso. Consecuentemente las descripciones de los repuestos en este Catálogo pueden no ser las finales y definitivas.

Las alteraciones y modificaciones que ocurren en la impresión de este Catálogo, serán informadas a nuestra red, a través de circulares de Servicio o en nuestra página web: www.auteco.com.co accediendo al link repuestos/accesorios. Es requisito que usted actualice su Catálogo y haga las correcciones necesarias, una vez reciba dichas circulares. Lo anterior le asegurará un rápido y adecuado despacho de sus partes, pues las órdenes están siendo diligenciadas con las referencias más actualizadas.

En caso de necesitar asistencia técnica, comunicarse con el Distribuidor Autorizado o llamar al Departamento de Servicios Auteco-Kawasaki.

Todos los derechos reservados, No se permite la reproducción total o parcial de este libro, en ninguna forma o por ningún medio, ya sea electrónico o mecánico, incluido fotocopiado, sin permiso escrito de Autotecnica Colombiana S.A. "AUTECO S.A."



DIRECTORIO TELEFÓNICO - DIVISIÓN REPUESTOS

NOMBRE	CARGO	CELULAR	TELÉFONOS DIRECTOS	CORREO ELECTRÓNICO
ALVARO VÉLEZ V.	JEFE LINEAS ESPECIALES	03310-3739023	306 84 58	
JOSÉ IGNACIO ROJAS L.	JEFE LINEAS ORIGINALES	03313-7677836	306 84 59	
CARLOS TORO	PROMOTOR VENTAS ORIGINALES	03314-8110409	306 84 74	ctoro@auteco.com.co
JORGE GIL	PROMOTOR VENTAS ORIGINALES	03313-6727353	306 84 71	jgil@auteco.com.co
JORGE MARIO MAYA V.	PROMOTOR VENTAS ORIGINALES	03312-2589384	306 84 75	jmaya@auteco.com.co
ALEJANDRO POSADA	PROMOTOR VENTAS ORIGINALES	03313-7677843	306 84 67	aposada@auteco.com.co
ALEXÁNDER GRAJALES	PROMOTOR VENTAS	03310-3739019	306 84 73	agrajales@auteco.com.co
CARLOS H. TOBÓN R.	PROMOTOR VENTAS	03310-4473611	306 84 63	ctobon@auteco.com.co
CARLOS MARIO SALAZAR	PROMOTOR VENTAS	03310-4148845	306 84 65	csalazar@auteco.com.co
ELKIN GALLEGO R.	PROMOTOR VENTAS	03310-4362598	306 84 64	egallego@auteco.com.co
GONZALO A. SALDARRIAGA S.	PROMOTOR VENTAS	03310-4068874	306 84 60	gsaldarriaga@auteco.com.co
HÉCTOR A. VALENCIA R.	PROMOTOR VENTAS	03310-4473652	306 84 61	hvalencia@auteco.com.co
HÉCTOR JAIRO LÓPEZ C.	PROMOTOR VENTAS	03312-2576791	306 84 70	hlopez@auteco.com.co
JOHN JAIRO LÓPEZ CH.	PROMOTOR VENTAS	03310-4442215	306 84 62	jlopez@auteco.com.co
MAURICIO MEJÍA	PROMOTOR VENTAS	03312-2576175	306 84 72	mmejia@auteco.com.co
NESTOR R. ADARVE	PROMOTOR VENTAS	03310-4362689	306 84 68	nadarve@auteco.com.co
UBERNEY ORTIZ V.	PROMOTOR VENTAS	03313-6727337	306 84 66	uortiz@auteco.com.co
WILLIAM GUTIÉRREZ H.	PROMOTOR VENTAS	03310-4074072	306 84 69	wgutierrez@auteco.com.co
ADRIANA VALENCIA	PROMOTOR LINEA AGROINDUSTRIAL	03314-8126167	306 81 92	avalencia@auteco.com.co
BERNARDO MURIEL G.	PROMOTOR LINEA AGROINDUSTRIAL	03310-4362742	306 84 67	bmuriel@auteco.com.co
JOAQUÍN VALDERRAMA	PROMOTOR LINEA AGROINDUSTRIAL	03315-6184912	03315-6184912	jvalderrama@auteco.com.co

DIAGONAL 38 A N° 34-56 B. SAN JOSÉ ITAGÜÍ • FAX BODEGA: 373 83 94 • FAX OFICINAS: 373 03 75

RICARDO CUARTAS	SERVICIO AL CLIENTE	306 84 78
DORIS CARMONA		306 84 77
LEONARDO GARCÍA	FACTURACIÓN	306 84 76

ENVÍE SUS SOLICITUDES DE RECLAMOS AL NUEVO FAX DE DEVOLUCIONES RECLAMOS 306 84 86

ALEX URREA	DEVOLUCIONES RECLAMOS	TEL.: 306 84 79
		FAX: 306 84 86
JUAN GUILLERMO GARCÍA	MOTOS VARADAS	306 84 80

LINEA GRATUITA SERVICIO AL CLIENTE - ACLARA







01 8000 52 00 90

ÍNDICE







FIGURA Nº	DESCRIPCIÓN	PÁG. Nº
1	Culata	1
2	Múltiple Admisión	2
3	Válvulas	3
4	Eje Levas / Tensor Cadenilla	4
5	Cilindro y Pistón	5
6	Cigüeñal	6
7	Transmisión	7
8	Selector de Cambios	8
9	Eje de Cambios	9
10	Carcasa Derecha	10
11	Carcasa Izquierda	11
12	Cubierta Clutch	12
13	Cubierta Volante	13
14	Clutch	14
15	Pedal Crank	15
16	Carburador	16
17	Filtro de Aire	17
18	Silenciador	18
19	Sillín	19
20	Bomba de Aceite	20
21	Magneto / C.D.I. / Plato de Bobinas	21
22	Motor de Arranque	22
23	Soportes de Motor	23
24	Chasis	24
25	Brazo Oscilante / Amortiguador	25
26	Reposapié Delantero	26
27	Reposapié Trasero	27

FIGURA Nº	DESCRIPCIÓN	PÁG. Nº
28	Guardabarro Trasero	28
29	Gato Central / Gato Lateral	29
30	Llantas / Rines / Neumáticos	30
31	Porta Bandas Delantero (KS) Sport	31
32	Porta Bandas Trasero	32-33
33	Disco Freno Delantero (ES) Supreme	34
34	Cilindro Bomba Freno	35
35	Caliper Delantero	36
36	Pedal Freno	37
37	Manubrio	38-39
38	Suspensión Delantero	40
39	Tanque de Gasolina / Guardabarro	
	Tapas Laterales	41
40	Grifo de Gasolina	42
41	Antivibrantes Tanque y Tapas Laterales	43
42	Velocímetro	44
43	Cables	45
44	Guardacadena (KS) Sport	46
45	Guardacadena (ES) Supreme	47
46	Farola y Carenaje Farola	48
47	Direccionales	49
48	Stop	50
49	Equipo Eléctrico	51
50	Herramientas	52
51	Accesorios	53
	Lista de Kits	54-55
	Índice de Referencias	56-60







ÍNDICE DE GRÁFICOS

					
FIGURA N° 1 : CULATA	PÁG. N° 1	FIGURA N° 2 : MÚLTIPLE ADMISIÓN	PÁG. N° 2	FIGURA N° 3 : VÁLVULAS	PÁG. N° 3
					
FIGURA N° 4 : EJE LEVAS TENSOR CADENILLA	PÁG. N° 4	FIGURA N° 5 : CILINDRO Y PISTÓN	PÁG. N° 5	FIGURA N° 6 : CIGÜEÑAL	PÁG. N° 6







ÍNDICE DE GRÁFICOS

	PÁG. N° 7		PÁG. N° 8		PÁG. N° 9
	PÁG. N° 10		PÁG. N° 11		PÁG. N° 12
FIGURA N° 10 : CARCASA DERECHA		FIGURA N° 11 : CARCASA IZQUIERDA		FIGURA N° 12 : CUBIERTA CLUTCH	



ÍNDICE DE GRÁFICOS

					
FIGURA N° 13 : CUBIERTA VOLANTE	PÁG. N° 13	FIGURA N° 14 : CLUTCH	PÁG. N° 14	FIGURA N° 15 : PEDAL CRANK	PÁG. N° 15
					
FIGURA N° 16 : CARBURADOR	PÁG. N° 16	FIGURA N° 17 : FILTRO DE AIRE	PÁG. N° 17	FIGURA N° 18 : SILENCIADOR	PÁG. N° 18







ÍNDICE DE GRÁFICOS

	FIGURA N° 19 : SILLÍN	PÁG. N° 19		FIGURA N° 20 : BOMBA DE ACEITE	PÁG. N° 20		FIGURA N° 21 : MAGNETO/ C.D.I. PLATO BOBINAS	PÁG. N° 21
	FIGURA N° 22 : MOTOR DE ARRANQUE	PÁG. N° 22		FIGURA N° 23 : SOPORTES DE MOTOR	PÁG. N° 23		FIGURA N° 24 : CHASIS	PÁG. N° 24







ÍNDICE DE GRÁFICOS

	FIGURA N° 25 : BRAZO OSCILANTE AMORTIGUADOR	PÁG. N° 25		FIGURA N° 26 : REPOSAPIÉ DELANTERO	PÁG. N° 26	
---	--	-------------------	--	---	-------------------	--







ÍNDICE DE GRÁFICOS

	FIGURA N° 31 : PORTA BANDAS DELANTERO (KS) SPORT	PÁG. N° 31		FIGURA N° 32 : PORTA BANDAS TRASERO	PÁG. N° 32-33		FIGURA N° 33 : DISCO FRENO DELANTERO (ES) SUPREME	PÁG. N° 34
	FIGURA N° 34 : CILINDRO BOMBA FRENO	PÁG. N° 35		FIGURA N° 35 : CALIPER DELANTERO	PÁG. N° 36		FIGURA N° 36 : PEDAL FRENO	PÁG. N° 37




ÍNDICE DE GRÁFICOS

					
FIGURA N° 37 : MANUBRIO	PÁG. N° 38-39	FIGURA N° 38 : SUSPENSIÓN DELANTERA	PÁG. N° 40	FIGURA N° 39 : TANQUE DE GASOLINA GUARDABARRO / TAPAS LATERALES	PÁG. N° 41
					
FIGURA N° 40 : GRIFO DE GASOLINA	PÁG. N° 42	FIGURA N° 41 : ANTIVIBRANTES TANQUE Y TAPAS LATERALES	PÁG. N° 43	FIGURA N° 42 : VELOCÍMETRO	PÁG. N° 44

ÍNDICE DE GRÁFICOS

					
FIGURA Nº 43 : CABLES	PÁG. Nº 45	FIGURA Nº 44 : GUARDACADENA (KS) SPORT	PÁG. Nº 46	FIGURA Nº 45 : GUARDACADENA (ES) SUPREME	PÁG. Nº 47
					
FIGURA Nº 46 : FAROLA Y CARENAJE FAROLA	PÁG. Nº 48	FIGURA Nº 47 : DIRECCIONALES	PÁG. Nº 49	FIGURA Nº 48 : STOP	PÁG. Nº 50

ÍNDICE DE GRÁFICOS

					
FIGURA N° 49 : EQUIPO ELÉCTRICO		FIGURA N° 50 : HERRAMIENTAS		FIGURA N° 51 : ACCESORIOS	
PÁG. N° 51		PÁG. N° 52		PÁG. N° 53	

This technical diagram illustrates the exploded view of a mechanical assembly, likely a pump or engine component. The main assembly is shown in a dashed box, with various parts numbered 1 through 11. Part 1 is the base housing. Part 2 consists of two O-rings. Part 3 is the main body of the assembly. Part 4 is a cylindrical component. Part 5 is a circular cap or cover. Part 6 is a small pin or screw. Part 7 is a small washer or spacer. Part 8 is a long, thin rod or shaft. Part 9 is a small pin or screw. Part 10 consists of two small pins or screws. Part 11 consists of two small washers or spacers. The diagram shows the relative positions and assembly sequence of these components.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This exploded view diagram illustrates the assembly of a carburetor. The components are numbered as follows:

- 1**: Main carburetor body (top view).
- 2**: Two screws for the float bowl gasket.
- 3**: Float bowl gasket.
- 4**: Float bowl.
- 5**: Jet needle assembly.
- 6**: Jet needle.
- 7**: Jet needle spring.
- 8**: Jet needle spring cap.
- 9**: Jet needle spring cap screw.
- 10**: Jet needle spring cap.
- 11**: Jet needle spring cap screw.
- 12**: Jet needle spring cap.
- 13**: Jet needle spring cap screw.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This diagram illustrates the assembly of a mechanical component, likely a spring-loaded lever or actuator. The parts are numbered as follows:

- 1**: A long, thin cylindrical rod or pin.
- 2**: A short cylindrical sleeve or bush.
- 3**: A complex mechanical housing or bracket, shown in a dashed box to indicate its position relative to the other parts.
- 4**: A small circular washer or spacer.
- 5**: A small circular washer or spacer.
- 6**: A small circular washer or spacer.
- 7**: A large, multi-coiled spring.
- 8**: A long, thin cylindrical rod or pin, similar to part 1 but longer.
- 9**: A small cylindrical component, possibly a bush or a small sleeve.

The assembly sequence is indicated by the exploded view: the long rod (1) is inserted into the housing (3) from the right. The short sleeve (2) is then placed over the rod. The spring (7) is positioned on the left side of the rod. The small washers (4, 5, 6) are placed between the spring and the housing. The long rod (8) is then inserted into the housing from the left, passing through the spring and the washers. Finally, the small cylindrical component (9) is placed at the end of the long rod (8).

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This diagram shows an exploded view of a mechanical assembly. The components are numbered as follows:

- 1**: A central shaft or pin, shown in a dashed box with parts 2, 3, and 15.
- 2**: A small circular component, possibly a washer or end cap.
- 3**: A small cylindrical component, possibly a bush or spacer.
- 4**: A small circular component, possibly a washer or end cap.
- 5**: A large circular component with a textured surface, possibly a pulley or flywheel.
- 6**: A small cylindrical component, possibly a bush or spacer.
- 7**: A small cylindrical component, possibly a bush or spacer.
- 8**: A long, thin, curved component, possibly a spring or a guide.
- 9**: A long, thin, curved component, possibly a spring or a guide.
- 10**: A small cylindrical component, possibly a bush or spacer.
- 11**: A small cylindrical component, possibly a bush or spacer.
- 12**: A small cylindrical component, possibly a bush or spacer.
- 13**: A small circular component, possibly a washer or end cap.
- 14**: A small cylindrical component, possibly a bush or spacer.
- 15**: A small cylindrical component, possibly a bush or spacer.

4

This diagram illustrates the assembly of a piston and connecting rod. The main components are labeled as follows:

- 1**: Piston crown (top of the piston).
- 2**: Piston pin (connecting the piston to the rod).
- 3**: Piston rings (seals and scrapers).
- 4**: Piston pin clips (retain the pin in the piston).
- 5**: Piston skirt (bottom of the piston).
- 6**: Connecting rod (transmits motion from the piston to the crankshaft).

The diagram shows the piston (1, 2, 3, 5) and the connecting rod (6) with the piston pin (2) and clips (4) being assembled. A dashed line indicates the assembly path for the piston rings (3) and the piston pin (2) into the piston (1).

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This exploded view diagram illustrates the assembly of a mechanical component, likely a pump or motor. The parts are numbered 1 through 19. The central assembly consists of a main housing (1) with a central shaft (17) and a handle (12). To the left, a large circular component (14) is shown with a bolt (15) and a washer (16). To the right, a series of components are shown in an exploded view, including a gear (4), a shaft (13), a nut (9), a washer (5), a bolt (19), and a flange (17). Below the main assembly, a series of components are shown in an exploded view, including a bolt (10), a nut (11), a washer (7), a flange (18), a washer (8), a nut (2), a bolt (3), and a flange (6).

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

FIGURA N° 7 : TRANSMISIÓN




FIG. N°	PARTE N°	DESCRIPCIÓN	CANT. VEH.		OBSERVACIÓN
			KS	ES	
1	DS-1012-91	Eje Clutch	1	1	
2	DS-1012-05	Buje Eje Caja	1	1	
3	DS-1010-49	Piñón de 4a	1	1	
4	39-0987-17	Pin Eje Caja	1	1	
5	DS-1010-48	Piñón de 3a	1	1	
6	39-0337-17	Pin	1	1	
7	DS-1010-47	Piñón de 2a	1	1	
8	DS-1011-29	Arandela Caja	1	1	
9	DS-1099-07	Eje Piñón Salida	1	1	
10	DS-1012-04	Arandela Caja	1	1	
11	DS-1010-54	Piñón de 3a	1	1	
12	DH-1010-79	Arandela Caja	1	1	
13	DS-1010-55	Piñón de 4a	1	1	
14	DH-1011-11	Buje Piñón Caja	1	1	
15	DS-1010-52	Piñón de 1a	1	1	
16	DS-1012-03	Arandela Caja	1	1	
17	DH-1012-35	Pin Piñones Caja	1	1	
18	DS-1013-55	Tornillo Arandela Eje Salida	2	2	
19	DH-1013-34	Buje Eje Piñón Delantero	1	1	
20	30-1010-61	"O" Ring	1	1	
21	DS-1011-97	Piñón Salida	1	1	
22	DS-1011-98	Arandela Piñón Salida	1	1	
23	DS-1011-07	Arandela Caja	1	1	

This diagram shows an exploded view of a mechanical assembly. The components are numbered as follows:

- 1**: A bracket or support arm with a flange.
- 2**: A bracket or support arm, similar to part 1 but with a different flange profile.
- 3**: A long, hollow cylindrical tube.
- 4**: A small, circular component with a flange, possibly a bearing or a seal.
- 5**: A central cylindrical component with a series of longitudinal slots or grooves.
- 6**: A small, cylindrical pin or bolt.
- 7**: A small, rectangular component, possibly a washer or a spacer.

The diagram illustrates the relative positions and assembly sequence of these parts. Part 5 is the central component, with parts 1 and 2 positioned to attach to its ends. Part 3 is shown as a tube that would fit over part 5. Part 4 is positioned to fit onto part 5. Part 6 is shown as a pin that would pass through part 4 and part 5. Part 7 is shown as a small component that would fit into a slot on part 5.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This diagram illustrates the exploded view of a bicycle rear derailleur assembly. The components are numbered as follows:

- 1**: The main body of the rear derailleur, featuring a long parallelogram arm and a curved cage.
- 2**: A small pin or bush located at the top pivot point of the main body.
- 3**: A pulley wheel with a single V-shaped groove on its outer rim.
- 4**: A small cylindrical component, likely a bush or spacer, positioned between the pulley wheel and the main body.
- 5**: A bracket or mounting plate designed to attach the derailleur to the bicycle frame.
- 6**: A long, threaded rod or bolt used for mounting the bracket to the frame.
- 7**: A small pin or bush that connects the bracket to the main body of the derailleur.
- 8**: A small pin or bush located at the bottom pivot point of the main body.
- 9**: A small component, possibly a spring or a pin, located near the bottom pivot point.
- 10**: A coiled spring, likely a return spring for the pulley wheel.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This diagram shows an exploded view of a mechanical assembly. The main component is a cast housing (2) with a central circular opening. To the left is a separate metal plate (5) with a complex shape and several mounting holes. Various bolts (3, 4, 6, 8, 12, 14) and a nut (10) are shown being inserted into the housing. A curved metal piece (13) is positioned at the top right, and a flexible hose (11) is connected to the side. A small cylindrical part (7) is shown near the bottom of the housing. A gasket or seal (9) is positioned between the housing and the plate (5). A small pin or clip (1) is also visible near the top of the housing.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

[illegible]

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This exploded view diagram illustrates the assembly of a motorcycle engine and transmission. The components are numbered as follows:

- 1**: Engine and transmission case.
- 2**: Bolt for the timing cover.
- 3**: Bolt for the timing cover.
- 4**: Timing cover.
- 5**: Bolt for the timing cover.
- 6**: Washer for the timing cover.
- 7**: Bolt for the timing cover.
- 8**: Bolt for the timing cover.
- 9**: Bolt for the timing cover.
- 10**: Oil seal.
- 11**: Bolt for the timing cover.
- 12**: Washer for the timing cover.
- 13**: Timing cover gasket.
- 14**: Bolt for the timing cover.
- 15**: Bolt for the timing cover.
- 16**: Bolt for the timing cover.
- 17**: Bolt for the timing cover.
- 18**: Timing cover gasket.
- 19**: Bolt for the timing cover.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This exploded view diagram illustrates the assembly of a mechanical component, likely a pump or motor housing. The main assembly is shown in a dashed box, with various parts numbered for identification:

- 1**: The main housing or pump body.
- 2**: A screw used to secure the side plate (9).
- 3**: A small O-ring or seal located at the top of the housing.
- 4**: A large, irregular gasket or seal plate that fits against the housing.
- 5**: A screw used to secure the top cover (12).
- 6**: A small pin or clip used to secure the side plate (9).
- 7**: A small circular component, possibly a filter or cap.
- 8**: A small O-ring or seal located at the bottom of the housing.
- 9**: A side plate or cover with a curved top and horizontal ridges.
- 10** and **13**: Two curved, dark-colored components, possibly seals or gaskets, shown separately.
- 11**: A small screw or pin used to secure the curved components (10 and 13).
- 12**: A top cover or cap with a central circular opening.

A small inset diagram in the upper right corner shows the fully assembled unit, providing context for the exploded view.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This exploded view diagram illustrates the assembly of a carburetor. The components are numbered as follows:

- 1**: Main carburetor body.
- 2**: Jet needle and its support spring.
- 3**: Jet needle.
- 4**: Jet needle support spring.
- 5**: Jet needle support plate.
- 6**: Jet needle support pins.
- 7**: Jet needle support pin.
- 8**: Jet needle support pin.
- 9**: Jet needle support pin.
- 10**: Jet needle support pin.
- 11**: Jet needle support pin.
- 12**: Jet needle support pin.
- 13**: Jet needle support pin.
- 14**: Jet needle support pin.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This exploded view diagram illustrates the assembly of a mechanical component, likely a pump or motor housing. The parts are numbered as follows:

- 1**: The main housing or base plate, shown as a dashed outline.
- 2**: A small bolt or screw used for fastening.
- 3**: A small circular component, possibly a seal or gasket.
- 4**: A rectangular frame or support structure.
- 5**: A square plate or cover with a central cross-shaped feature.
- 6**: A small bolt or screw.
- 7**: A small circular component, possibly a seal or gasket.
- 8**: A long, curved, ribbed component, likely a fan or impeller.
- 9**: A small bolt or screw.
- 10**: A large, curved, ribbed component, likely a fan or impeller.
- 11**: A small circular component, possibly a seal or gasket.
- 12**: A small bolt or screw.
- 13**: A small circular component, possibly a seal or gasket.

[illegible]

This exploded view diagram illustrates the assembly of a motorcycle handlebar. The components are numbered as follows:

- 1**: The main handlebar, featuring a "150" marking on its side.
- 2**: Two small spacers or washers used for mounting the grips.
- 3**: The right-hand grip.
- 4**: A bracket or clamp used to secure the handlebar to the frame.
- 5**: A circular end cap or seal for the left handlebar end.
- 6**: A bolt or screw used to secure the end cap.
- 7**: A bolt or screw used to secure the handlebar to the frame.
- 8**: A bolt or screw used to secure the grips.
- 9**: A nut or washer used to secure the grips.
- 10**: A bracket or clamp used to secure the handlebar to the frame.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

The diagram illustrates the assembly of a cable connection. It shows a main device (2) with a cable (3) plugged into it. A separate component (1) is shown above the device. A screw (4) is used to secure the connection. The diagram is labeled with numbers 1, 2, 3, and 4.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This diagram shows an exploded view of a mechanical assembly. The components are numbered as follows:

- 1**: A central housing or bracket with mounting holes.
- 2**: A small rectangular block, likely a pin or spacer.
- 3**: A cylindrical component with a flange, possibly a pulley or a bush.
- 4**: Two screws or bolts used for mounting.
- 5**: A large gear or pulley with many teeth, mounted on a shaft.
- 6**: A small cylindrical pin or bush.

Dashed lines indicate the assembly alignment and the relative positions of the parts.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

FIGURA N° 21 : MAGNETO/ C.D.I./ PLATO BOBINAS




FIG. N°	PARTE N°	DESCRIPCIÓN	CANT. VEH.		OBSERVACIÓN
			KS	ES	
1	DS-1110-56	Volante		1	
	DS-1110-17	Volante	1		
2	DS-1110-49	Plato de Bobinas		1	
	DS-1110-15	Plato de Bobinas	1		
3	39-1674-04	Tornillo	2	2	
4	39-0761-01	Tornillo	2	2	
5	DH-1011-99	Platina	1	1	
6	39-0746-01	Tornillo de Estrella 6x13	1	1	
7	DG-1110-08	Bujía (Champion RG4HC)	2	2	
8	DS-1110-43	C. D. I.	1	1	
9	DS-1110-35	Bobina de Alta Izquierda	1	1	
10	DS-1110-36	Bobina de Alta Derecha	1	1	
11	DH-1110-15	Capuchón Bujía	2	2	
12	DD-1110-12	Antivibrante Capuchón Bujía	2	2	
13	DH-1110-13	Capuchón Bujía	1	1	
14	DH-2010-18	Regulador	1		
	DS-2010-03	Regulador		1	
15	DD-2010-24	Condensador	1		
16	39-1943-04	Tornillo	1	1	
17	39-0798-15	Tuerca de 6 mm.	1	1	
18	39-1902-04	Tornillos	2	2	
19	DJ-1610-67	Soporte Bobina	1	1	
20	39-1680-04	Tornillo	2	2	
21	DH-1110-16	Antivibrante	1	1	
22	DS-1110-41	Magneto Completo	1		
	DS-1110-48	Magneto Completo		1	

FIGURA N° 22 : MOTOR DE ARRANQUE




FIG. N°	PARTE N°	DESCRIPCIÓN	CANT. VEH.		OBSERVACIÓN
			KS	ES	
1	DH-1015-78	Clutch de Una Vía		1	Alt. DH-1017-82
2	DH-1011-64	Resorte		5	
3	DH-1011-86	Platina Piñón Arranque		1	Alt. DH-1017-81
4	DH-1014-01	Piñón Motor Arranque		1	
5	DH-1015-81	Platina Motor Arranque		1	
6	39-1672-04	Tornillo		1	
7	DS-1011-01	Pasador Piñón Motor Arranque		1	
8	DS-1011-79	Arandela Especial		2	
9	DH-1014-72	Piñón Motor Arranque		1	
10	39-2152-20	Rodillo Piñón Balanceador		1	
11	39-2437-04	Tornillo		3	
12	DS-1110-51	Motor de Arranque		1	Alt. JN-3516-00
13	39-1074-04	Tornillo		4	
14	DS-1011-02	Tapa Piñón Arranque		1	Alt. JN-5514-07
15	DJ-1011-09	Buje Resorte Arranque		5	
16	39-1062-04	Tornillo		2	
17	DS-1011-44	Tapón		1	
18	39-2547-17	Abrazadera		1	
19	39-0999-06	Pin		2	
20	DH-1011-63	Pin Pasador		5	
21	DH-1015-33	Buje Resortes Motor Arranque		5	
22	DS-1012-94	Junta		1	
23	DS-1012-93	Tapa Cancelación Motor Arranque	1		No Ilustrado
24	59-1000-02	Resorte	1	1	No Ilustrado

This diagram is an exploded view of a mechanical assembly, likely a suspension or steering component. It shows various parts and their assembly sequence, indicated by numbered callouts (1 through 9) and dashed lines. The components include a central hub, multiple arms, and various fasteners like bolts and nuts. The diagram is presented in a perspective view, showing the spatial relationship between the parts.

DISCOVER 135
(KS) **SPORT**
(ES) **SUPREME**

This technical diagram illustrates the assembly of a vehicle chassis component, likely a rear suspension or steering knuckle assembly. The main body of the component is labeled 1. Various bolts and fasteners are indicated by callouts: 2, 3, 4, 5, 6, 7, 8, 9, 10, and 11. A separate view of a control arm or similar link is shown at the bottom left, with callouts 6 and 11 pointing to its mounting points. The diagram uses solid lines for the main components and dashed lines to show the alignment and placement of the fasteners.

DISCOVER 135
(KS) **SPORT**
(ES) **SUPREME**

FIGURA N° 25 : BRAZO OSCILANTE/ AMORTIGUADOR




FIG. N°	PARTE N°	DESCRIPCIÓN	CANT. VEH.		OBSERVACIÓN
			KS	ES	
1	DG-1710-38	Tornillo Amortiguador Tras.	2	2	
2	39-0714-11	Arandela 12 mm.	8	8	
3	JN-1220-00	Amortiguador Trasero (Nitrox)		2	
	DX-1710-03	Amortiguador Trasero (Sencillo)	2		
4	39-0258-11	Arandela Plana 5 mm.	2	2	
5	JN-1220-02	Brazo Oscilante		1	
	DX-1710-01	Brazo Oscilante	1		Alt. DS-1710-02
	JN-1220-01	Brazo Oscilante		1	Desde Julio-08
6	DS-1710-15	Arandela Brazo Oscilante	2	2	
7	39-0712-15	Tuerca 12 mm.	2	2	
8	39-0737-12	Arandela	2	2	
9	DS-1710-07	Protector Cadena	1	1	
10	39-0553-02	Tornillo	2	2	
11	39-0454-11	Arandela 4 mm.	2	2	
12	DS-1710-13	Pasador Brazo Oscilante	1	1	
13	39-1358-15	Tuerca	1	1	
14	DJ-1510-36	Tensor Cadena Izquierdo	1	1	
15	DJ-1510-37	Tensor Cadena Derecho	1	1	
16	39-0292-15	Tuerca 4 mm.	4	4	
17	DS-1710-14	Cola Guardafango	1	1	
18	39-1773-04	Tornillo	2	2	
19	39-1943-04	Tornillo	1	1	
20	39-0711-11	Arandela 6 mm.	1	1	

This diagram illustrates the assembly of a mechanical component, likely a hinge or bracket. The main assembly is shown with a long arm (8) and a mounting bracket (1). Two exploded views are provided to show the internal components. The first exploded view (bottom left) shows the internal mechanism of the mounting bracket (1), including a long bar (4), a spring (10), and various fasteners (9, 6, 7, 11). The second exploded view (top right) shows the internal mechanism of the long arm (8), including a long bar (4), a spring (10), and various fasteners (9, 6, 7, 11). The diagram is labeled with numbers 1 through 11, corresponding to the parts shown.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This exploded view diagram illustrates the assembly of a mechanical component, likely a bracket or support arm. The parts are numbered as follows:

- 1**: The main curved bracket or support arm.
- 2**: A small cylindrical pin or bushing.
- 3**: A long, flat rectangular plate or support.
- 4**: A small cylindrical pin or bushing.
- 5**: A long, narrow rectangular plate or support.
- 6**: A small cylindrical pin or bushing.
- 7**: A small cylindrical pin or bushing.
- 8**: A small cylindrical pin or bushing.
- 9**: A small cylindrical pin or bushing.
- 10**: A small cylindrical pin or bushing.
- 11**: A curved plate or support.
- 12**: A small cylindrical pin or bushing.
- 13**: A small cylindrical pin or bushing.

The diagram shows the relative positions and assembly sequence of these components, with dashed lines indicating the alignment and fit of the parts.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This diagram illustrates the assembly of a mechanical component, likely a door hinge or latch mechanism. The parts are numbered as follows:

- 1**: A small circular pin or bush.
- 2**: A rectangular plate or bracket.
- 3**: A small circular pin or bush.
- 4**: A small circular pin or bush.
- 5**: A curved metal plate or door edge.
- 6**: A small circular pin or bush.
- 7**: A small circular pin or bush.
- 8**: A small circular pin or bush.
- 9**: A large, curved metal plate or door edge.
- 10**: A small circular pin or bush.
- 11**: A small circular pin or bush.
- 12**: A small circular pin or bush.
- 13**: A small circular pin or bush.
- 14**: A small rectangular plate or bracket.
- 15**: A small circular pin or bush.
- 16**: A small circular pin or bush.
- 17**: A key, shown separately with a dashed line indicating its use for a pin.

28

This diagram shows an exploded view of a mechanical assembly. The components are numbered as follows:

- 1**: A small rectangular component with a grid-like pattern, likely a keypad or sensor.
- 2**: A long, thin cylindrical rod.
- 3**: A small pin or screw.
- 4**: A coiled spring with a hook at one end.
- 5**: A short, thick cylindrical rod.
- 6**: A long, thin lever arm with a hook at one end.
- 7**: A short, thick cylindrical rod, similar to part 5.
- 8**: A small pin or screw, similar to part 3.
- 9**: A small circular component, possibly a washer or a small pulley.
- 10**: A larger circular component, possibly a pulley or a bearing.

The diagram illustrates the assembly sequence and relative positions of these parts. Dashed lines indicate the alignment and assembly path for several components, such as the rod (2) passing through the lever arm (6) and the pulley (10), and the spring (4) being attached to the lever arm (6).

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This diagram illustrates the assembly of a wheel. It shows two complete wheel assemblies, labeled 1 and 4, and their corresponding disassembled components. Component 1 is a wheel with a five-spoke hub and a smooth tire. Component 4 is a wheel with a five-spoke hub and a treaded tire. Component 2 is a smooth tire, and component 5 is a treaded tire. Component 3 is a rim with a valve stem, and component 6 is a rim with a valve stem. The diagram shows the relationship between the wheels, the tires, and the rims.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

FIGURA N° 31 : PORTA BANDAS DELANTERO (KS) SPORT




FIG. N°	PARTE N°	DESCRIPCIÓN	CANT. VEH.		OBSERVACIÓN
			KS	ES	
1	39-2688-20	Balinera Rin Delantero 6301C3	2		
2	30-1510-32	Buje Eje Delantero	1		
3	39-0840-01	Tornillo 3x6	1		
4	39-0798-15	Tuerca 6 mm.	1		
5	39-0781-11	Wasa	1		
6	39-0786-15	Tuerca	1		
7	39-0787-08	Pin Pasador	1		
8	DJ-1510-41	Eje Rueda Delantera	1		
9	39-0775-04	Tornillo Hexágono 6x30	1		
10	JA-1316-07	Leva Freno	1		
11	DD-1510-09	Arandela	1		
12	30-1510-38	Pin	1		
13	DS-1510-87	Porta Bandas Delantero	1		
14	DD-1510-08	Leva Freno	1		Alt. 30-1510-04
15	30-1510-35	Retén Campana Delantera	1		
16	30-1510-69	Resorte Bandas Freno	2		
17	30-1511-05	Banda de Freno Trasero	1		
18	36-DS15-02	Kit Piñón Velocímetro	1		Ref.Pág. No. 54
19	30-1511-18	Platina	1		
20	JA-1316-06	Buje	1		
21	39-1013-21	Anillo Retén	1		
22	30-1510-42	Arandela Piñón Velocímetro	2		
23	30-1510-33	Retén Eje Delantero	1		
24	DS-1510-42	Buje Campana Delantera	1		
25	DS-1510-56	Guardapolvo	1		
26	JA-1316-03	Buje Montaje Cable Velocímetro	1		No Ilustrado
27	39-0900-12	Arandela	1		No Ilustrado

FIGURA N° 32 : PORTA BANDAS TRASERO (1/2)




FIG. N°	PARTE N°	DESCRIPCIÓN	CANT. VEH.		OBSERVACIÓN
			KS	ES	
1	DJ-1510-53	Empate Cadena		1	
	JN-1410-02	Empate Cadena	1		
2	39-2686-20	Balinera Rin Trasero 6202C3	1	1	
3	39-2687-20	Balinera Rin Trasero 6302C3	1	1	
4	30-1510-75	Buje Campana Trasera	1	1	
5	DJ-1510-88	Antivibrante Campana		1	
6	JN-1316-00	Porta Bandas Trasero (Solo)	1		
	DJ-1510-92	Porta Bandas Trasero (Solo)		1	
7	DD-1510-08	Leva Freno	1	1	
8	30-1510-38	Anillo Retenedor	1	1	
9	30-1510-05	Arandela Indicadora	1	1	
10	DJ-1510-59	Leva Freno Trasero		1	
	DS-1510-23	Leva Freno Trasero	1		
11	39-2447-04	Tornillo	1	1	
12	39-0798-15	Tuerca 6 mm.	1	1	
13	30-1510-68	Banda de Freno Trasero	1	1	
14	30-1510-69	Resorte Bandas Freno	2	2	
15	JN-1312-03	Porta Sprocket		1	
	DS-1510-68	Porta Sprocket	1		
16	39-2240-20	Balinera Porta Sprocket	1	1	
17	DJ-1510-33	Leva	1	1	
18	30-1510-82	Retén Porta Sproket	1	1	
19	30-1510-81	Arandela Tornillo Sprocket	3	3	
20	DJ-1510-48	Tornillo Sprocket	6	6	

This exploded view diagram illustrates the assembly of a bicycle rear wheel. The components are numbered as follows:

- 1:** A group of small fasteners, including a nut and washers.
- 2:** A small rubber tire.
- 3:** A small metal spacer or bush.
- 4:** A small metal spacer or bush.
- 5:** A small metal spacer or bush.
- 6:** A small metal spacer or bush.
- 7:** A small metal spacer or bush.
- 8:** A small metal spacer or bush.
- 9:** A small metal spacer or bush.
- 10:** A small metal spacer or bush.
- 11:** A small metal spacer or bush.
- 12:** A small metal spacer or bush.
- 13:** A small metal spacer or bush.
- 14:** A small metal spacer or bush.
- 15:** A small metal spacer or bush.
- 16:** A small metal spacer or bush.
- 17:** A small metal spacer or bush.
- 18:** A small metal spacer or bush.
- 19:** A small metal spacer or bush.
- 20:** A small metal spacer or bush.
- 21:** A small metal spacer or bush.
- 22:** A small metal spacer or bush.
- 23:** A small metal spacer or bush.
- 24:** A small metal spacer or bush.
- 25:** A small metal spacer or bush.
- 26:** A small metal spacer or bush.
- 27:** A small metal spacer or bush.
- 28:** A small metal spacer or bush.
- 29:** A small metal spacer or bush.
- 30:** A small metal spacer or bush.
- 31:** A small metal spacer or bush.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This exploded view diagram illustrates the assembly of a mechanical component, likely a wheel or a large gear. The central part is a large wheel with a five-spoke hub and a circular rim. To its right is a circular plate with a complex, multi-lobed internal cutout pattern. The assembly is shown in an exploded state, with various parts numbered 1 through 13. The parts include: 1. A small screw or pin at the top right. 2. Two small circular components, one above the wheel and one to the left of the central plate. 3. A small cylindrical component below the top-right '2'. 4. A small circular component to the right of the top-right '2'. 5. A small circular component to the left of the wheel. 6. A small circular component to the left of the wheel. 7. The circular plate with the internal cutout. 8. A small circular component at the bottom right. 9. A small screw or pin to the right of the plate. 10. A small circular component at the bottom left. 11. A small cylindrical component at the bottom left. 12. A long, thin cylindrical component at the bottom left. 13. A small circular component at the bottom right. The diagram uses dashed lines to indicate the alignment and relative positions of the parts.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This technical diagram illustrates the exploded view of a mechanical assembly, likely a fuel or air intake system. The components are numbered as follows:

- 1:** The main rectangular housing or manifold.
- 2:** A flexible hose or duct connected to the side of the housing.
- 3:** A curved metal arm or lever.
- 4:** Small cylindrical components, possibly O-rings or seals, located at the hose connections.
- 5:** Small circular components, likely washers or spacers, used for mounting.
- 6:** A small cylindrical component, possibly a filter or a valve, located at the bottom right.
- 7:** Two screws or bolts used to secure the bottom right component.
- 8:** A small pin or screw at the top of the curved arm.
- 9:** A small circular component, possibly a seal or a spacer, located near the top of the housing.
- 10:** Two screws or bolts used to secure the top of the housing.
- 11:** A small cylindrical component, possibly a filter or a valve, located at the bottom center.
- 12:** A small pin or screw at the bottom center of the housing.
- 13:** A small rectangular component, possibly a filter or a valve, located at the top of the housing.
- 14:** A small rectangular component, possibly a filter or a valve, located in the middle of the housing.
- 15:** A small cylindrical component, possibly a filter or a valve, located on the side of the housing.
- 16:** The entire assembly, indicated by a dashed line.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

Diagram illustrating the components of a motorcycle master cylinder and brake lever assembly, numbered 1 through 12A:

- 1: Master Cylinder Assembly
- 2: Pin
- 3: Brake Pad Spring
- 4: Bleed Screw
- 5: Bleed Screw Cap
- 6: Brake Pad
- 7: Insulator
- 8: Dust Cap
- 9: Piston
- 10: Piston Retainer
- 11A: Piston Seal
- 11B: Piston Cap Screw
- 12A: Piston

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This diagram shows an exploded view of a rear suspension assembly. The components are numbered as follows:

- 1: Upper control arm
- 2: Upper control arm bush
- 3: Lower control arm
- 4: Lower control arm bush
- 5: Lower control arm bush
- 6: Lower control arm bush
- 7: Shock absorber
- 8: Shock absorber pin
- 9: Rear axle
- 10: Rear axle nut
- 11: Rear axle nut
- 12: Rear axle nut
- 13: Rear axle nut
- 14: Rear axle nut
- 15: Rear axle nut
- 16: Rear axle nut

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

FIGURA N° 37 : MANUBRIO (1/2)




FIG. N°	PARTE N°	DESCRIPCIÓN	CANT. VEH.		OBSERVACIÓN
			KS	ES	
1	DS-1810-44	Manubrio	1	1	
2	39-1714-04	Tornillo	4	4	
3	DD-2011-55	Comando Luces Izquierdo	1	1	
4	DS-2010-28	Comando Luces Derecho	1		
	DS-2010-33	Comando Luces Derecho	1		
5	DJ-1910-53	Soporte Leva Clutch	1	1	
	DS-1910-36	Soporte Leva Clutch	1		
6	DS-1910-38	Soporte Leva Freno	1		
7	DJ-1910-55	Leva Clutch	1	1	
8	29-2011-17	Swiche Stop	1		
9	DD-1911-42	Leva Freno Delantero	1		
10	DS-1810-08	Antivibrante Superior Manubrio	2	2	
11	DS-1810-09	Antivibrante Inferior Manubrio	2	2	
12	DS-1810-10	Arandela Inferior Manubrio	2	2	
13	39-0422-15	Tuerca de Seguridad 10 mm.	2	2	
14	DS-1910-15	Manillar Izquierdo	1	1	
15	DS-1910-16	Carretel Acelerador	1	1	
16	DS-1910-52	Guardapolvo	1	1	
17	DH-1810-22	Bujes Manubrio	2	2	
18	39-2427-04	Tornillo	2	2	
19	DJ-2011-10	Swiche Clutch	1		
	DJ-2010-34	Swiche Clutch	1		
20	DJ-2210-03	Espejo Retrovisor Izquierdo	1	1	

This exploded view diagram illustrates the assembly of a mechanical component, likely a pump or actuator. The parts are numbered 1 through 30. Key components include:

- 1**: A long, curved shaft or arm.
- 2**: A small pin or fastener.
- 3**: A small rectangular component, possibly a solenoid or valve.
- 4**: A small rectangular component, possibly a solenoid or valve.
- 5**: A large, complex assembly, possibly a pump head or actuator body.
- 6**: A small rectangular component, possibly a solenoid or valve.
- 7**: A small curved component, possibly a lever or arm.
- 8**: A small curved component, possibly a lever or arm.
- 9**: A small rectangular component, possibly a solenoid or valve.
- 10**: A small rectangular component, possibly a solenoid or valve.
- 11**: A small rectangular component, possibly a solenoid or valve.
- 12**: A small rectangular component, possibly a solenoid or valve.
- 13**: A small rectangular component, possibly a solenoid or valve.
- 14**: A small rectangular component, possibly a solenoid or valve.
- 15**: A small rectangular component, possibly a solenoid or valve.
- 16**: A small rectangular component, possibly a solenoid or valve.
- 17**: A small rectangular component, possibly a solenoid or valve.
- 18**: A small rectangular component, possibly a solenoid or valve.
- 19**: A small rectangular component, possibly a solenoid or valve.
- 20**: A small rectangular component, possibly a solenoid or valve.
- 21**: A small rectangular component, possibly a solenoid or valve.
- 22**: A small rectangular component, possibly a solenoid or valve.
- 23**: A small rectangular component, possibly a solenoid or valve.
- 24**: A small rectangular component, possibly a solenoid or valve.
- 25**: A small rectangular component, possibly a solenoid or valve.
- 26**: A small rectangular component, possibly a solenoid or valve.
- 27**: A small rectangular component, possibly a solenoid or valve.
- 28**: A small rectangular component, possibly a solenoid or valve.
- 29**: A small rectangular component, possibly a solenoid or valve.
- 30**: A small rectangular component, possibly a solenoid or valve.

The diagram shows the relative positions and assembly sequence of these parts, with dashed lines indicating the path of assembly.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

FIGURA N° 38 : SUSPENSION DELANTERA




FIG. N°	PARTE N°	DESCRIPCIÓN	CANT. VEH.		OBSERVACIÓN
			KS	ES	
1	DJ-1810-89	Guardapolvo Telescópico	2	2	
2	DJ-1810-88	Pin Seguridad	2	2	
3	DJ-1810-87	Retén Tubo Telescópico	2	2	
4	JN-1510-04	Camisa Tubo Telescópico Izq.		1	
	DS-1811-20	Camisa Tubo Telescópico Izq.	1		
5	JN-1510-06	Camisa Tubo Telescópico Der.		1	
	DS-1811-21	Camisa Tubo Telescópico Der.	1		
6	31-1811-05	Junta	2	2	
7	31-1811-06	Tornillo Camisa Telescópico	2	2	
8	DS-1810-77	Cilindro Interno Tubo Telescópico	2	2	
9	DS-1810-83	Tubo Telescópico	2	2	
10	DS-1810-84	Resorte Tubo Telescópico	2	2	
11	DS-1810-15	Tapón Tubo Telescópico	1	1	
12	DS-1810-75	Tornillo Tapón Telescópico	2	2	
13	31-1811-02	Anillo Retén	2	2	
14	DS-1810-85	Buje Separador Cabeza Espiga	2	2	
15	DS-1810-05	Cabeza Espiga	1	1	
16	JN-1510-02	Suspensión Delantera		1	
	DS-1811-17	Suspensión Delantera	1		Alt. 52-DS02-65
17	DS-1810-20	Espiga Central	1	1	
18	39-0789-12	Arandela Presión	2	2	
19	39-1813-04	Tornillo	2	2	
20	DS-1810-72	Arandela	2	2	
21	DS-1810-12	Tornillo Telescópico	2	2	
22	DS-1810-70	Buje Guía Tubo Telescópico	2	2	
23	DS-1810-71	Buje Guía Tubo Telescópico	2	2	
24	DS-1810-86	Arandela	2	2	

This diagram illustrates the exploded view of a motorcycle headlight assembly. The components are numbered as follows:

- 1**: The main headlight housing, featuring a lens and a mounting bracket at the bottom.
- 2**: A lower mounting bracket or support piece.
- 3**: A side mounting bracket or support piece.
- 4**: The rear mounting bracket or support piece.
- 5**: A curved mounting bracket or support piece.
- 6**: A small, curved mounting bracket or support piece.
- 7**: A rectangular mounting plate or bracket, shown with a line indicating its connection to the main housing (1).

The diagram also includes a small logo in the upper left corner, which appears to be a stylized 'S' or 'M' inside a circle, and a small 'S' logo in the lower right corner.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This exploded view diagram illustrates the components of a trimmer head assembly. The main body is a bulbous, ribbed trimmer head. The components are numbered as follows:

- 1:** A small rectangular plate or guard.
- 2:** A small screw or fastener.
- 3:** A small circular washer or spacer.
- 4:** A dashed box enclosing the internal shaft and gear assembly.
- 5:** A small rectangular plate or guard, similar to component 1.
- 6:** A small rectangular plate or guard.
- 7:** A small screw or fastener.
- 8:** A small circular washer or spacer.
- 9:** A dashed box enclosing the electrical connection components.
- 10:** A small rectangular plate or guard.
- 11:** A small screw or fastener.
- 12:** A curved, flexible component, likely a guard or deflector.
- 13:** A small circular washer or spacer.
- 14:** A small circular washer or spacer.

42

[illegible]

FIGURA N° 42 : VELOCIMETRO




FIG. No.	PARTE No.	DESCRIPCIÓN	CANT. VEH.		OBSERVACIÓN
			KS	ES	
1	DS-1910-05	Velocímetro Completo (VDO)		1	Alt. DS-1910-49 (PRICOL)
	DS-1910-14	Velocímetro Completo (VDO)	1		Alt. DS-1910-39 (PRICOL)
2	DS-1910-40	Cubierta Superior Negra (PRICOL)	1		Para: DS-1910-39
	DS-1910-22	Cubierta Superior Negra (VDO)	1		Para: DS-1910-14
3	DS-1910-41	Velocímetro (PRICOL)	1	1	Para: DS-1910-39 y DS-1910-49
	DS-1910-23	Velocímetro (VDO)	1	1	Para: DS-1910-05 y DS-1910-14
4	DS-2010-34	Ramal Velocímetro	1		Para: DS-1910-39 y DS-1910-14
5	DS-1910-25	Indicador Nivel Gasolina (VDO)		1	Para: DS-1910-05
	DS-1910-51	Indicador Nivel Gasolina (PRICOL)		1	Para: DS-1910-49
6	CL-2010-42	Bombillo 12V-1.7W	4	4	
7	DS-1910-27	Cubierta Inferior Negra (VDO)	1	1	Para: DS-1910-05 y DS-1910-14
	DS-1910-43	Cubierta Inferior Negra (PRICOL)	1	1	Para: DS-1910-39 y DS-1910-49
8	DS-1910-28	Soporte Velocímetro (VDO)	1	1	Para: DS-1910-05 y DS-1910-14
	DS-1910-44	Soporte Velocímetro (PRICOL)	1	1	Para: DS-1910-39 y DS-1910-49
9	DG-2010-40	Bombillo 12V-3.4W	2	3	
10	DS-1910-29	Cubierta Velocímetro (Blanca) -PRICOL	1		Para: DS-1910-39
	DS-2010-74	Cubierta Velocímetro (Blanca) -PRICOL		1	Para: DS-1910-49
11	DS-1910-30	Antivibrante	2	2	
12	DS-1910-31	Perilla	1	1	
13	DS-1910-32	Tornillo Perilla	1	1	
14	39-0798-15	Tuerca 6 mm.	2	2	
15	DS-1910-24	Tacómetro (VDO)		1	Para: DS-1910-05
	DS-1910-50	Tacómetro (PRICOL)		1	Para: DS-1910-49
	DS-1910-42	Indicador Nivel Gasolina (PRICOL)	1		Para: DS-1910-39
	DS-1910-26	Indicador Nivel Gasolina (VDO)	1		Para: DS-1910-14

This diagram illustrates the assembly of a rear suspension system. The components are numbered as follows:

- 1**: A lower control arm with a ball joint at one end and a mounting bracket at the other.
- 2**: A shock absorber with a mounting bracket at the top and a lower mounting point.
- 3**: A shock absorber with a mounting bracket at the top and a lower mounting point.
- 4**: A dashed rectangular box indicating the area where the shock absorbers and control arms are assembled.
- 5**: A shock absorber with a mounting bracket at the top and a lower mounting point.
- 6**: A shock absorber with a mounting bracket at the top and a lower mounting point.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This diagram illustrates the exploded view of a car door trim assembly. The main components are labeled as follows:

- 1**: The main door trim panel, which is a large, curved plastic piece.
- 2**: A circular grommet or seal, likely used to fit into a hole in the trim panel.
- 3**: A small, dark-colored screw or bolt, used for securing the trim panel to the door frame.
- 4**: A long, cylindrical bolt or screw, used for securing the trim panel to the door frame.
- 5**: A long, thin metal strip or bracket, likely used to reinforce the trim panel or secure it to the door frame.

The diagram shows the trim panel (1) with several mounting points. The screws (3) and bolts (4) are shown being inserted into these points. The metal strip (5) is shown being attached to the trim panel. The grommet (2) is shown being inserted into a hole in the trim panel.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

[illegible]

FIGURA N° 46 : FAROLA Y CARENAJE FAROLA




FIG. No.	PARTE No.	DESCRIPCIÓN	CANT. VEH.		OBSERVACIÓN
			KS	ES	
1	DS-2010-35	Unidad de Farola	1	1	
2	39-1778-02	Tornillo Farola	4	4	
3	39-0716-01	Tornillo Carenade Farola	2	2	
4	CL-2010-23	Bombillo Farola 12V 35/35W	1	1	
5	DJ-2010-72	Bombillo Piloto 12V 5W	2	2	
6	39-1961-04	Tornillo Soporte Carenade	1	1	
7	DS-1810-66	Visor Carenade	1	1	
8	DF-1810-98	Tornillo Visera	4	4	
9	DL-1810-10	Tuerca	4	4	
10	39-2141-24	Arandela	9	9	
11	DS-1810-31	Soporte Carenade Farola	1	1	
12	39-0817-15	Tuerca	1	1	
13	35-1610-60	Platina	5	5	
14	39-1907-01	Tornillo	3	3	
15	DS-1810-45	Platina Soporte Carenade Farola	1	1	
16	DG-1611-21	Tornillo	2	2	
17	39-1943-04	Tornillo	2	2	
18	DS-1810-29	Soporte Carenade	1	1	
19	DS-1810-27	Soporte Carenade Inferior	1	1	
20	DS-2010-36	Pin Bombillo Farola	1	1	
21	DS-2010-39	Instalación Farola	1	1	
22	DS-1810-69	Calcomanía "Bajaj"	1	1	

1/2

3/4

5

6

49

This exploded view diagram illustrates the assembly of a bicycle seat. The components are numbered as follows:

- 1**: A small circular component, likely a cap or spacer, shown in a dashed box.
- 2**: The bicycle seat (saddle).
- 3**: A small circular component, likely a cap or spacer, shown in a dashed box.
- 4**: A small circular component, likely a cap or spacer.
- 5**: A small circular component, likely a cap or spacer.
- 6**: A small circular component, likely a cap or spacer.
- 7**: A small circular component, likely a cap or spacer.
- 8**: A small circular component, likely a cap or spacer.
- 9**: A small circular component, likely a cap or spacer.
- 10**: A rectangular plate or bracket.
- 11**: A bolt or screw.
- 12**: A long, thin rectangular component, likely a seat post.
- 13**: A small rectangular component, likely a seat post clamp.
- 14**: A small circular component, likely a cap or spacer.
- 15**: A small rectangular component, likely a seat post clamp.
- 16**: A small rectangular component, likely a seat post clamp.

50

FIGURA N° 49 : EQUIPO ELECTRICO




FIG. No.	PARTE No.	DESCRIPCIÓN	CANT. VEH.		OBSERVACIÓN
			KS	ES	
1	DS-2010-16	Pito	1	1	
2	39-1507-11	Arandela	1	1	
3	39-1956-04	Tornillo	1	1	
4	DS-1611-23	Soporte Batería	1	1	
5	39-1942-04	Tornillo	1	1	
6	JN-4022-00	Instalación Eléctrica		1	
	DS-2010-57	Instalación Eléctrica	1		
7	DS-2010-29	Switch Stop	1	1	
8	DS-1910-07	Resorte Switch Stop	1	1	
9	DH-2010-19	Antivibrante	1	1	
10	DS-1611-06	Platina Soporte Batería	1		
11	DS-1611-18	Soporte Batería	1	1	
12	DS-1611-05	Antivibrante Batería	1	1	
13	DS-1611-16	Soporte Batería		1	
14	DS-2010-25	Flascher Direccionales	1	1	
15	39-2208-04	Tornillo	2	2	
16	AP-2010-29	Relay Motor de Arranque		1	
17	30-2011-04	Caja Fusibles	1		
18	30-2010-85	Fusible 15A	1		
19	DS-2010-22	Cable Batería (Relay)		1	
20	DS-2010-23	Cable Batería (Tierra)		1	
21	DS-1611-04	Antivibrante Batería	1		
22	DS-2010-82	Batería 5AH		1	
	DH-2010-17	Batería 12V 2.5 AH	1		

Diagram illustrating the tools and components required for the repair:

- 1. A small square component (likely a pin or clip).
- 2. A long, thin rectangular component (likely a pin or clip).
- A collection of tools including:
 - A BAJAJ brand container (likely for oil or lubricant).
 - A small screwdriver.
 - A long, thin metal rod or pin.
 - A set of three wrenches (one large, one medium, one small).
 - A long, thin metal rod or pin.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

This exploded view diagram illustrates the assembly of a motorcycle seat. The components are identified by the following numbers:

- 1**: The main seat cushion, shown with its internal support structure and mounting points.
- 2**: A U-shaped bracket or support piece located at the rear of the seat.
- 3**: The seat base or frame, which includes a slatted backrest and a footrest area.
- 4**: A small pin or clip used to secure the backrest slats.
- 5**: A bolt or screw used for mounting the seat base to the motorcycle frame.
- 6**: A small bracket or support piece located at the front of the seat.
- 7**: A rectangular plate or support piece located at the front of the seat base.
- 8**: A small pin or clip used to secure the front support piece.

Discover 135
(KS) **SPORT**
(ES) **SUPREME**

LISTA DE KITS

Item	Referencia	Descripción	Contenido del Kit		
			Referencia	Descripción	Cant.
1	36-DS10-01	Kit Anillos Retén Culata	39-2391-21	Anillo Retenedor	2
			39-1283-21	Anillo Retenedor	2
2	36-DS10-02	Kit Válvulas	DS-1010-23	Válvula de Admisión	1
			DS-1010-24	Válvula de Escape	1
3	36-DS10-03	Kit Resortes Válvula	DS-1010-83	Arandela Resorte Válvula	2
			DS-1011-10	Resorte Interno Válvula	2
			DS-1011-11	Resorte Externo Válvula	2
			DH-1010-26	Arandela Resorte Válvula	2
4	36-DS10-04	Kit Guías Cadenilla	DS-1010-12	Guía Cadenilla	1
			DS-1010-11	Guía Cadenilla	1
5	36-DS10-07	Kit Moñón Crank	DH-1011-85	Resorte Moñón Crank	1
			DH-1010-68	Balín	1
			DS-1012-08	Moñón Crank	1
			DH-1013-20	Tornillo	1
6	36-DS12-01	Kit Diafragma Carburador	DS-1210-55	Pistón Diafragma	1
			DS-1210-73	Resorte Diafragma	1
			DS-1210-57	Diafragma	1
7	36-DS14-01	Kit Antivibrantes Tapas Laterales	DS-1410-12	Antivibrante Tapa Delantero	2
			DS-1610-82	Antivibrante Tapa Trasero	2
8	36-DS14-02	Kit Antivibrantes Tanque Gasolina	DS-1410-21	Antivibrante Interno Tanque	1
			DJ-1410-08	Antivibrante Tanque Gasolina	2
9	36-DS15-02	Kit Piñones Velocímetro	DL-1510-14	Piñón Velocímetro	1
			30-1510-41	Piñón Velocímetro	1

LISTA DE KITS

Item	Referencia	Descripción	Contenido del Kit		
			Referencia	Descripción	Cant.
10	36-DS16-01	Kit Platinas Soporte Motor	DS-1610-31	Platina Motor Izquierda	1
			DS-1611-28	Platina Motor Derecha	1
			DS-1610-56	Platina Motor Derecha Trasera	2
11	36-DS16-02	Kit Platinas Soporte Motor	DS-1611-30	Platina Motor Delantera Izquierda	1
			DS-1611-31	Platina Motor Delantera Derecha	1
12	36-DS18-02	Kit Cunas de Dirección	DH-1810-25	Cuna Chasis	1
			DH-1810-26	Cuna Dirección	1
			DH-1810-24	Cuna Superior	1
13	36-DS21-01	Kit Antivibrantes Sillín	DS-2110-04	Antivibrante Sillín I	7
			DS-2110-05	Antivibrante Sillín II	2
14	36-JN00-06	Kit Sprocket y Cadena (120L)	DS-1011-97	Piñón Salida	1
			DX-1510-23	Sprocket 42T	1
			JN-1410-01	Cadena 120L (Con O'ring)	1
15	36-JN00-07	Kit Sprocket y Cadena (120L)	DS-1011-97	Piñón Salida	1
			DX-1510-23	Sprocket 42T	1
			DS-1510-82	Cadena 120L	1
16	JN-5812-07	Kit Tornillos Carburador	DS-1210-96	Arandela	1
			DS-1210-97	Resorte Tornillo Carburador	1
			DS-1210-94	Tornillo Ajuste Carburación	1
17	JN-5812-08	Kit Difusor Carburador	DS-1210-71	Boquerel	1
			DS-1210-67	Porta Boquerel	1
			DS-1210-69	Boquerel de Baja	1

ÍNDICE DE REFERENCIAS

PARTE No.	FIG. No.	PAG. No.
107229	2	30
124195	5	30
15-1610-69	2	46
15-1910-26	15	37
22-1504-51	13	27
28-1011-10	16	6
28-1210-07	2	20
28-1210-08	3	20
29-2011-17	8	38
30-1010-61	20	7
30-1410-15	13	42
30-1410-31	7	27
30-1410-31	14	42
30-1410-32	11	42
30-1410-39	6	42
30-1510-04	14	31
30-1510-05	9	32
30-1510-32	2	31
30-1510-33	23	31
30-1510-33	4	34
30-1510-35	15	31
30-1510-38	12	31
30-1510-38	8	32
30-1510-41	9	54
30-1510-42	22	31
30-1510-68	13	32
30-1510-69	16	31
30-1510-69	14	32
30-1510-75	4	32
30-1510-81	19	32
30-1510-82	18	32
30-1510-95	11	37
30-1511-05	17	31
30-1511-18	19	31

PARTE No.	FIG. No.	PAG. No.
30-1810-06	5	24
30-1910-35	7	37
30-1910-36	16	37
30-1910-38	4	37
30-1910-48	22	39
30-2010-06	3	50
30-2010-85	18	51
30-2011-04	17	51
31-1011-08	6	9
31-1011-73	12	6
31-1210-43	8	17
31-1811-02	13	40
31-1811-05	6	40
31-1811-06	7	40
31-2010-81	11	11
35-1610-60	13	48
36-DH19-02	15	35
36-DJ40-08	3	5
36-DS10-01	3	1
36-DS10-01	12	2
36-DS10-01	1	54
36-DS10-02	8	3
36-DS10-02	2	54
36-DS10-03	7	3
36-DS10-03	3	54
36-DS10-04	8	4
36-DS10-04	4	54
36-DS10-07	3	15
36-DS10-07	5	54
36-DS12-01	2	16
36-DS12-01	6	54
36-DS14-01	1	43
36-DS14-01	7	54
36-DS14-02	4	43

PARTE No.	FIG. No.	PAG. No.
36-DS14-02	8	54
36-DS15-02	18	31
36-DS15-02	9	54
36-DS16-01	2	23
36-DS16-01	10	55
36-DS16-02	1	23
36-DS16-02	11	55
36-DS18-02	4	24
36-DS18-02	12	55
36-DS21-01	2	19
36-DS21-01	13	55
36-DS40-12	31	33
36-DS40-20	1	46
36-JN00-02	7	41
36-JN00-04	7	41
36-JN00-06	31	33
36-JN00-06	14	55
36-JN00-07	31	33
36-JN00-07	15	55
39-0071-04	6	17
39-0211-11	7	28
39-0211-11	16	28
39-0219-11	5	37
39-0258-11	4	25
39-0292-15	16	25
39-0326-15	13	28
39-0337-17	6	7
39-0422-15	9	29
39-0422-15	13	38
39-0454-11	11	25
39-0553-02	10	25
39-0694-15	21	33
39-0694-15	13	37
39-0711-11	20	25

PARTE No.	FIG. No.	PAG. No.
39-0711-11	3	46
39-0712-15	7	25
39-0714-11	2	25
39-0716-01	3	48
39-0737-12	8	25
39-0738-17	16	15
39-0740-11	8	42
39-0746-01	12	10
39-0746-01	6	21
39-0761-01	4	21
39-0761-01	2	42
39-0775-04	9	31
39-0781-11	5	31
39-0781-11	8	34
39-0784-08	9	27
39-0786-15	6	31
39-0786-15	13	34
39-0787-08	7	31
39-0787-08	1	34
39-0789-12	12	37
39-0789-12	18	40
39-0797-08	3	29
39-0798-15	17	21
39-0798-15	8	28
39-0798-15	4	31
39-0798-15	12	32
39-0798-15	14	44
39-0801-15	25	33
39-0807-08	14	37
39-0808-08	6	37
39-0817-15	12	48
39-0817-15	6	50
39-0840-01	3	31
39-0897-04	7	26

PARTE No.	FIG. No.	PAG. No.
39-0897-04	4	46
39-0899-01	10	16
39-0900-12	27	31
39-0983-08	6	43
39-0987-17	4	7
39-0993-11	9	15
39-0999-06	8	12
39-0999-06	6	13
39-0999-06	19	22
39-1013-21	21	31
39-1014-21	13	4
39-1040-11	8	27
39-1041-19	3	12
39-1054-11	7	43
39-1062-04	16	22
39-1062-04	9	50
39-1074-04	13	22
39-1075-04	9	1
39-1075-04	7	12
39-1075-04	5	13
39-1225-15	7	23
39-1282-15	6	26
39-1283-21	6	2
39-1283-21	10	11
39-1283-21	8	13
39-1283-21	1	54
39-1358-15	13	25
39-1507-11	4	28
39-1507-11	2	51
39-1553-04	7	14
39-1556-04	5	23
39-1660-05	2	2
39-1672-04	12	15
39-1672-04	6	22

ÍNDICE DE REFERENCIAS

PARTE No.	FIG. No.	PAG. No.
39-1673-04	7	9
39-1674-04	9	2
39-1674-04	10	4
39-1674-04	2	13
39-1674-04	4	20
39-1674-04	3	21
39-1677-04	14	11
39-1680-04	20	21
39-1680-04	8	37
39-1681-04	6	53
39-1686-06	6	20
39-1714-04	2	38
39-1714-04	4	53
39-1715-19	3	11
39-1754-21	9	11
39-1765-11	7	17
39-1769-04	2	36
39-1773-04	18	25
39-1778-02	2	48
39-1783-01	14	50
39-1789-24	5	43
39-1813-04	19	40
39-1845-04	15	11
39-1880-20	2	4
39-1902-04	4	19
39-1902-04	18	21
39-1907-01	14	48
39-1917-19	2	12
39-1940-04	9	17
39-1940-04	2	26
39-1942-04	3	47
39-1942-04	5	51
39-1943-04	16	21
39-1943-04	19	25

PARTE No.	FIG. No.	PAG. No.
39-1943-04	10	28
39-1943-04	24	39
39-1943-04	3	43
39-1943-04	17	48
39-1943-04	11	50
39-1956-04	3	51
39-1961-04	6	48
39-1963-04	13	11
39-1970-15	6	18
39-1970-15	4	23
39-1970-15	6	49
39-1972-15	7	50
39-1972-15	16	50
39-2017-19	9	3
39-2038-04	9	34
39-2141-24	10	48
39-2152-20	10	22
39-2165-11	15	6
39-2179-24	3	42
39-2181-06	13	2
39-2181-06	2	5
39-2181-06	8	10
39-2189-19	6	11
39-2190-19	7	11
39-2200-11	3	6
39-2200-11	1	14
39-2203-07	13	6
39-2208-04	11	13
39-2208-04	15	51
39-2214-04	8	53
39-2240-20	16	32
39-2276-11	8	15
39-2276-11	10	15
39-2310-04	3	28

PARTE No.	FIG. No.	PAG. No.
39-2312-04	3	23
39-2391-21	1	54
39-2427-04	18	38
39-2437-04	11	22
39-2443-11	12	12
39-2447-04	11	32
39-2495-04	5	53
39-2531-05	3	10
39-2531-05	2	11
39-2532-04	8	1
39-2542-20	15	4
39-2544-04	14	12
39-2547-17	18	22
39-2561-20	17	6
39-2562-20	4	11
39-2566-11	28	33
39-2567-11	24	33
39-2583-20	6	10
39-2583-20	5	11
39-2608-01	11	2
39-2639-04	6	8
39-2647-15	6	1
39-2662-20	7	10
39-2686-20	2	32
39-2687-20	3	32
39-2688-20	1	31
39-2688-20	2	34
39-2701-04	6	28
39-2702-04	8	23
39-2712-17	18	6
39-2713-21	8	6
39-2718-04	6	23
39-2722-04	10	27
39-2723-15	9	23

PARTE No.	FIG. No.	PAG. No.
39-2730-04	7	18
41070-2717-NR2/18	2	30
41070-2717-NR53/18	2	30
41070-2717-SP1/19	2	30
41070-2717-TM8/18	2	30
41070-3017-TM8/18	5	30
41070-3017-ZK019/59	5	30
41075-2717/18	3	30
41075-2717/23	3	30
41075-2717/59	3	30
52-DS00-92	2	41
52-DS00-93	3	41
52-DS00-94	5	41
52-DS02-65	16	40
52-JN00-05	1	12
52-JN00-08	9	13
59-1000-02	24	22
59-1110-02	5	3
AP-2010-29	16	51
CL-2010-23	4	48
CL-2010-42	6	44
DD-1010-62	14	4
DD-1010-97	2	15
DD-1110-12	12	21
DD-1410-22	7	42
DD-1510-08	14	31
DD-1510-08	7	32
DD-1510-09	11	31
DD-1610-71	4	18
DD-1613-81	6	27
DD-1911-42	9	38
DD-2010-11	4	50
DD-2010-24	15	21
DD-2011-55	3	38

PARTE No.	FIG. No.	PAG. No.
DE-1510-06	3	34
DE-1510-08	6	34
DE-1510-12	5	34
DE-1510-13	7	34
DE-1510-15	16	35
DE-1990-11	4	35
DF-1611-02	8	29
DF-1810-98	8	48
DG-1010-29	6	3
DG-1014-18	16	12
DG-1014-18	3	13
DG-1014-98	11	1
DG-1110-08	7	21
DG-1210-02	4	10
DG-1210-02	13	17
DG-1510-89	1	36
DG-1611-21	7	24
DG-1611-21	2	43
DG-1611-21	16	48
DG-1611-24	10	29
DG-1612-24	5	26
DG-1710-38	1	25
DG-2010-40	9	44
DH-1010-11	11	4
DH-1010-16	1	5
DH-1010-26	3	54
DH-1010-48	6	4
DH-1010-66	10	6
DH-1010-68	5	54
DH-1010-79	12	7
DH-1011-11	14	7
DH-1011-21	15	15
DH-1011-52	6	12
DH-1011-57	7	13

ÍNDICE DE REFERENCIAS

PARTE No.	FIG. No.	PAG. No.
DH-1011-63	20	22
DH-1011-64	2	22
DH-1011-69	16	11
DH-1011-85	5	54
DH-1011-86	3	22
DH-1011-95	2	6
DH-1011-99	5	21
DH-1012-25	8	9
DH-1012-25	10	10
DH-1012-35	17	7
DH-1012-64	12	11
DH-1012-72	10	1
DH-1012-83	13	13
DH-1013-01	2	18
DH-1013-02	8	18
DH-1013-20	5	54
DH-1013-34	19	7
DH-1013-44	3	14
DH-1013-85	12	15
DH-1013-87	7	4
DH-1014-01	4	22
DH-1014-12	4	4
DH-1014-20	3	4
DH-1014-68	3	18
DH-1014-72	9	22
DH-1014-81	9	18
DH-1014-84	9	14
DH-1015-08	4	2
DH-1015-20	12	14
DH-1015-33	21	22
DH-1015-54	4	14
DH-1015-57	5	14
DH-1015-78	1	22
DH-1015-81	5	22

PARTE No.	FIG. No.	PAG. No.
DH-1016-61	10	1
DH-1016-71	4	5
DH-1016-80	3	2
DH-1017-81	3	22
DH-1017-82	1	22
DH-1110-12	10	2
DH-1110-13	13	21
DH-1110-15	11	21
DH-1110-16	21	21
DH-1210-38	8	2
DH-1211-01	8	16
DH-1211-02	9	16
DH-1510-29	10	37
DH-1610-53	4	26
DH-1610-56	10	26
DH-1610-67	5	27
DH-1611-00	6	24
DH-1611-00	9	26
DH-1611-00	12	27
DH-1611-21	4	29
DH-1611-45	5	29
DH-1611-58	15	28
DH-1612-40	7	29
DH-1613-13	3	27
DH-1613-15	4	27
DH-1613-17	5	27
DH-1710-19	23	33
DH-1810-14	3	24
DH-1810-22	17	38
DH-1810-24	12	55
DH-1810-25	12	55
DH-1810-26	12	55
DH-2010-17	22	51
DH-2010-18	14	21

PARTE No.	FIG. No.	PAG. No.
DH-2010-19	9	51
DJ-1010-64	5	18
DJ-1011-09	15	22
DJ-1012-16	12	4
DJ-1012-17	2	1
DJ-1410-08	8	54
DJ-1510-32	22	33
DJ-1510-33	17	32
DJ-1510-35	26	33
DJ-1510-36	14	25
DJ-1510-37	15	25
DJ-1510-41	8	31
DJ-1510-41	12	34
DJ-1510-48	20	32
DJ-1510-53	1	32
DJ-1510-57	10	34
DJ-1510-59	10	32
DJ-1510-68	3	36
DJ-1510-69	4	36
DJ-1510-70	5	36
DJ-1510-71	6	36
DJ-1510-72	7	36
DJ-1510-73	8	36
DJ-1510-74	9	36
DJ-1510-75	10	36
DJ-1510-76	2	35
DJ-1510-77	1	30
DJ-1510-87	4	30
DJ-1510-88	5	32
DJ-1510-92	6	32
DJ-1511-00	5	30
DJ-1610-67	19	21
DJ-1610-69	12	28
DJ-1610-72	8	50

PARTE No.	FIG. No.	PAG. No.
DJ-1610-90	11	26
DJ-1611-26	1	26
DJ-1611-27	3	26
DJ-1810-83	5	50
DJ-1810-87	3	40
DJ-1810-88	2	40
DJ-1810-89	1	40
DJ-1910-23	1	35
DJ-1910-26	5	35
DJ-1910-27	6	35
DJ-1910-28	7	35
DJ-1910-29	8	35
DJ-1910-30	9	35
DJ-1910-31	10	35
DJ-1910-32	11	35
DJ-1910-34	13	35
DJ-1910-35	14	35
DJ-1910-53	5	38
DJ-1910-55	7	38
DJ-1910-59	3	35
DJ-2010-34	19	38
DJ-2010-72	5	48
DJ-2011-00	12	35
DJ-2011-10	19	38
DJ-2011-46	3	49
DJ-2011-47	4	49
DJ-2011-48	1	49
DJ-2011-49	2	49
DJ-2210-03	20	38
DJ-2210-04	21	39
DL-1510-14	9	54
DL-1810-10	9	48
DM-1510-24	2	30
DM-1510-27	5	30

PARTE No.	FIG. No.	PAG. No.
DP-1611-44	12	50
DP-1611-45	10	50
DP-1710-06	9	24
DP-2210-24	2	52
DS-1010-08	13	10
DS-1010-09	14	10
DS-1010-11	4	54
DS-1010-12	4	54
DS-1010-23	2	54
DS-1010-24	2	54
DS-1010-36	9	4
DS-1010-47	7	7
DS-1010-48	5	7
DS-1010-49	3	7
DS-1010-52	15	7
DS-1010-54	11	7
DS-1010-55	13	7
DS-1010-57	6	15
DS-1010-58	5	15
DS-1010-59	13	15
DS-1010-60	7	15
DS-1010-61	11	15
DS-1010-62	3	8
DS-1010-63	1	8
DS-1010-64	2	8
DS-1010-67	4	12
DS-1010-72	10	12
DS-1010-73	9	12
DS-1010-77	6	6
DS-1010-79	4	8
DS-1010-83	3	54
DS-1010-84	7	1
DS-1010-96	5	1
DS-1011-01	7	22

ÍNDICE DE REFERENCIAS

PARTE No.	FIG. No.	PAG. No.
DS-1011-02	14	22
DS-1011-03	10	9
DS-1011-04	4	9
DS-1011-05	11	14
DS-1011-07	23	7
DS-1011-10	3	54
DS-1011-11	3	54
DS-1011-12	11	6
DS-1011-18	2	9
DS-1011-19	9	9
DS-1011-23	11	12
DS-1011-29	8	7
DS-1011-32	7	8
DS-1011-34	1	9
DS-1011-35	5	8
DS-1011-44	17	22
DS-1011-52	19	6
DS-1011-54	9	6
DS-1011-67	5	10
DS-1011-73	3	9
DS-1011-79	8	22
DS-1011-90	14	15
DS-1011-93	4	1
DS-1011-97	21	7
DS-1011-97	14	55
DS-1011-97	15	55
DS-1011-98	22	7
DS-1012-01	19	12
DS-1012-03	16	7
DS-1012-04	10	7
DS-1012-05	2	7
DS-1012-06	1	15
DS-1012-08	5	54
DS-1012-09	4	15

PARTE No.	FIG. No.	PAG. No.
DS-1012-10	10	13
DS-1012-11	13	12
DS-1012-12	18	12
DS-1012-14	11	10
DS-1012-15	17	12
DS-1012-51	5	9
DS-1012-52	15	12
DS-1012-53	12	13
DS-1012-60	7	6
DS-1012-63	5	12
DS-1012-75	5	6
DS-1012-76	5	4
DS-1012-91	1	7
DS-1012-93	23	22
DS-1012-94	22	22
DS-1013-07	4	13
DS-1013-19	2	14
DS-1013-33	3	3
DS-1013-35	1	3
DS-1013-36	2	3
DS-1013-55	14	6
DS-1013-55	18	7
DS-1013-63	4	6
DS-1013-65	5	20
DS-1013-66	4	3
DS-1013-76	14	14
DS-1099-07	9	7
DS-1110-15	2	21
DS-1110-17	1	21
DS-1110-35	9	21
DS-1110-36	10	21
DS-1110-41	22	21
DS-1110-43	8	21
DS-1110-48	22	21

PARTE No.	FIG. No.	PAG. No.
DS-1110-49	2	21
DS-1110-51	12	22
DS-1110-56	1	21
DS-1210-04	17	11
DS-1210-12	7	2
DS-1210-55	6	54
DS-1210-57	6	54
DS-1210-67	17	55
DS-1210-69	17	55
DS-1210-71	17	55
DS-1210-73	6	54
DS-1210-76	12	16
DS-1210-80	7	16
DS-1210-85	6	16
DS-1210-89	5	16
DS-1210-90	6	16
DS-1210-94	16	55
DS-1210-96	16	55
DS-1210-97	16	55
DS-1211-13	14	16
DS-1211-15	13	16
DS-1211-17	11	17
DS-1211-18	1	20
DS-1211-26	12	17
DS-1211-29	1	17
DS-1211-31	3	17
DS-1410-09	1	42
DS-1410-12	7	54
DS-1410-13	10	42
DS-1410-14	12	42
DS-1410-18	4	42
DS-1410-21	8	54
DS-1510-23	10	32
DS-1510-25	9	37

PARTE No.	FIG. No.	PAG. No.
DS-1510-29	6	30
DS-1510-42	24	31
DS-1510-56	25	31
DS-1510-58	11	34
DS-1510-68	15	32
DS-1510-70	5	32
DS-1510-79	29	33
DS-1510-82	15	55
DS-1510-84	1	30
DS-1510-86	4	30
DS-1510-87	13	31
DS-1610-31	10	55
DS-1610-56	10	55
DS-1610-62	9	28
DS-1610-66	4	41
DS-1610-69	2	17
DS-1610-77	6	29
DS-1610-82	8	43
DS-1610-82	7	54
DS-1610-85	1	27
DS-1610-86	2	27
DS-1610-89	2	53
DS-1611-02	11	24
DS-1611-04	21	51
DS-1611-05	12	51
DS-1611-06	10	51
DS-1611-08	11	28
DS-1611-12	2	29
DS-1611-13	1	29
DS-1611-16	13	51
DS-1611-17	8	26
DS-1611-18	11	51
DS-1611-23	4	51
DS-1611-25	1	28

PARTE No.	FIG. No.	PAG. No.
DS-1611-28	10	55
DS-1611-30	11	55
DS-1611-31	11	55
DS-1611-41	14	28
DS-1611-42	10	24
DS-1611-64	5	46
DS-1611-88	7	53
DS-1612-57	1	24
DS-1710-07	9	25
DS-1710-13	12	25
DS-1710-14	17	25
DS-1710-15	6	25
DS-1810-05	25	39
DS-1810-05	15	40
DS-1810-06	29	39
DS-1810-07	26	39
DS-1810-08	10	38
DS-1810-09	11	38
DS-1810-10	12	38
DS-1810-12	21	40
DS-1810-15	11	40
DS-1810-18	2	24
DS-1810-19	30	39
DS-1810-20	17	40
DS-1810-22	23	39
DS-1810-23	6	41
DS-1810-26	13	50
DS-1810-27	19	48
DS-1810-29	18	48
DS-1810-31	11	48
DS-1810-36	5	42
DS-1810-44	1	38
DS-1810-45	15	48
DS-1810-66	7	48

ÍNDICE DE REFERENCIAS

PARTE No.	FIG. No.	PAG. No.
DS-1910-29	10	44
DS-1910-30	11	44
DS-1910-31	12	44
DS-1910-32	13	44
DS-1910-36	5	38
DS-1910-38	6	38
DS-1910-40	2	44
DS-1910-41	3	44
DS-1910-42	15	44
DS-1910-43	7	44
DS-1910-44	8	44
DS-1910-50	15	44
DS-1910-51	5	44
DS-1910-52	16	38
DS-1910-53	4	45
DS-1910-54	6	45
DS-1910-55	5	45
DS-2010-03	14	21
DS-2010-08	1	50
DS-2010-09	2	50
DS-2010-15	15	50
DS-2010-16	1	51
DS-2010-22	19	51
DS-2010-23	20	51
DS-2010-25	14	51
DS-2010-27	8	24
DS-2010-28	4	38
DS-2010-29	7	51
DS-2010-33	4	38
DS-2010-34	4	44
DS-2010-35	1	48
DS-2010-36	20	48
DS-2010-39	21	48
DS-2010-57	6	51

PARTE No.	FIG. No.	PAG. No.
DS-2010-74	10	44
DS-2010-79	9	42
DS-2010-82	22	51
DS-2110-01	1	19
DS-2110-04	13	55
DS-2110-05	13	55
DS-2110-06	3	19
DS-2210-03	1	52
DS-7114-23	1	41
DU-1010-85	9	10
DU-2010-46	28	39
DX-1210-06	10	17
DX-1210-07	4	17
DX-1210-10	5	17
DX-1510-22	27	33
DX-1510-23	30	33
DX-1510-23	14	55
DX-1510-23	15	55
DX-1610-34	5	28
DX-1610-52	5	46
DX-1610-65	2	28
DX-1610-66	18	28
DX-1610-67	11	27
DX-1710-01	5	25
DX-1710-03	3	25
GH-2010-12	5	49
JA-1316-03	26	31
JA-1316-06	20	31
JA-1316-07	10	31
JF-5212-00	6	5
JN-1220-00	3	25
JN-1220-01	5	25
JN-1220-02	5	25
JN-1312-03	15	32

PARTE No.	FIG. No.	PAG. No.
JN-1316-00	6	32
JN-1410-01	29	33
JN-1410-01	14	55
JN-1410-02	1	32
JN-1510-02	16	40
JN-1510-04	4	40
JN-1510-06	5	40
JN-1510-09	17	50
JN-1812-02	2	47
JN-1812-04	1	47
JN-1814-03	17	28
JN-2312-00	3	53
JN-2312-02	1	53
JN-2330-00	7	41
JN-2330-03	7	41
JN-2330-10	7	41
JN-2330-13	7	41
JN-3516-00	12	22
JN-4022-00	6	51
JN-5010-00	1	10
JN-5010-01	1	10
JN-5110-06	1	1
JN-5110-06	1	2
JN-5112-02	1	4
JN-5210-01	5	5
JN-5212-15	4	16
JN-5310-00	1	6
JN-5410-00	1	11
JN-5410-02	2	10
JN-5412-03	1	13
JN-5514-00	6	14
JN-5514-07	14	22
JN-5514-08	17	14
JN-5514-09	16	14

[illegible]